



HEADBOX DETAIL




BOTTOM TRAY DETAIL SECTION A




SIDE GUIDE DETAIL



- NOTE: -
1. Number of motor(s) and location depends on curtain overall dimension
 2. Number of sides depends on radius and ceiling slot width
 3. Headbox size should allow additional 15mm for fixings bolt head

 <p>Edward House, Penner Road, Havant, Hampshire, PO9 1QZ, UK Tel: +44 (0)2392 454 405 Email: info@coopersfire.com Web: www.coopersfire.com</p>	DRAWN:	TITLE:	
	ML	FireMaster® Concertina™ - Open Typical Arrangement - Compact Box	
	CHECKED:	<small>© 1997-2018 COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES</small>	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED
	JR	DRG. No.	ISSUE:
	JR	604/022/MK	1 DATE: 22.06.2018


HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		RADIUS	DROP	ANGLE
220	275	115	Unlimited	< 3m	45° - 180°
220	340	180	Unlimited	< 5m	45° - 180°




LESS THAN 90 DEG DETAIL



HEADBOX DETAIL



BOTTOM TRAY DETAIL SECTION A



SIDE GUIDE DETAIL



NOTE: - Number of motor(s) and location depends on curtain overall dimension
 - Headbox size should allow additional 15mm for fixings bolt head




Edward House, Penner Road,
 Havant, Hampshire, PO9 1QZ, UK
 Tel: +44 (0)2392 454 405
 Email: info@coopersfire.com
 Web: www.coopersfire.com

DRAWN:	ML	TITLE: FireMaster® Concertina™ - Open Typical Arrangement - Compact Box	
CHECKED:	JR	© 1997-2018 COOPERS FIRE LIMITED <small>ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES</small>	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED
APPROVED:	JR	DRG. No. 604/032/MK	ISSUE: 1 DATE: 22.06.2018

HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		L - WIDTH	DROP	ANGLE
220	275	115	Unlimited	< 3m	45° - 180°
220	340	180	Unlimited	< 5m	45° - 180°




HEADBOX DETAIL




DOOR CLOSED

* DOOR MAX. HEIGHT = 3M



DOOR OPENED



BOTTOM TRAY DETAIL SECTION A

NOTE: - Number of motor(s) and location depends on curtain overall dimension
 - Headbox size should allow additional 15mm for fixings bolt head

HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		L - WIDTH	DROPP	ANGLE
220	275	115	Unlimited	< 3m	45° - 180°
220	340	180	Unlimited	< 5m	45° - 180°



Edward House, Penner Road,
 Havant, Hampshire, PO9 1QZ, UK
 Tel: +44 (0)2392 454 405
 Email: info@coopersfire.com
 Web: www.coopersfire.com

DRAWN:	ML	TITLE:	Open FireMaster® Concertina™ with Side Guide Door Typical Arrangement - Compact Box		
CHECKED:	JR	© 1997-2018 COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		
APPROVED:	JR	DRG. No.	604/014/MK	ISSUE:	1
				DATE:	22.06.2018