






NOTE: - Number of motor(s) and location depends on curtain overall dimension
 - Headbox size should allow additional 15mm for fixings bolt head

 <p>Ignis House, Houghton Avenue Waterlooville, Hampshire PO7 3DU, UK</p> <p>Tel: +44 (0)2392 454 405</p> <p>Email: info@coopersfire.com Web: www.coopersfire.com</p>	DRAWN:	TITLE: FireMaster® Concertina™ - Closed Typical Arrangement	
	ML		
	CHECKED:	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED
	JR		
	APPROVED:	DRG. No.	ISSUE: 2
	JR	604/001/MK	DATE: 14.12.2020



HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		L - WIDTH	DROP	ANGLE
350	225	100	Unlimited	< 4m	45° - 180°
350	300	175	Unlimited	< 8m	45° - 180°




NOTE: - Number of motor(s) and location depends on curtain overall dimension
- Headbox size should allow additional 15mm for fixings bolt head

 <p>Ignis House, Houghton Avenue Waterlooville, Hampshire PO7 3DU, UK</p> <p>Tel: +44 (0)2392 454 405</p> <p>Email: info@coopersfire.com Web: www.coopersfire.com</p>	DRAWN:	TITLE: FireMaster® Concertina™ - Closed Typical Arrangement - Compact Box	
	ML		
	CHECKED:	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	
	JR	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED	
	APPROVED:	DRG. No.	ISSUE:
	JR	604/007/MK	2
		DATE:	14.12.2020


HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		L - WIDTH	DROP	ANGLE
220	275	115	Unlimited	< 3m	45° - 180°
220	340	180	Unlimited	< 5m	45° - 180°



HEADBOX DETAIL



BOTTOM TRAY DETAIL
SECTION A



SIDE GUIDE DETAIL

NOTE: -

1. Number of motor(s) and location depends on curtain overall dimension
2. Number of sides depends on radius and ceiling slot width



coopers
Coopers Fire Limited



Ignis House, Houghton Avenue
Waterlooville, Hampshire
PO7 3DU, UK

Tel: +44 (0)2392 454 405


Email: info@coopersfire.com
Web: www.coopersfire.com

DRAWN:	ML	TITLE: FireMaster® Concertina™ - Open Typical Arrangement	
CHECKED:	JR	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED
APPROVED:	JR	DRG. No. 604/004/MK	ISSUE: 2 DATE: 14.12.2020


HEADBOX		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		RADIUS	DROP	ANGLE
350	225	100	Unlimited	< 4m	45° - 180°
350	300	175	Unlimited	< 8m	45° - 180°



HEADBOX DETAIL




BOTTOM TRAY DETAIL
SECTION A





SIDE GUIDE DETAIL

NOTE: -


1. Number of motor(s) and location depends on curtain overall dimension
2. Number of sides depends on radius and ceiling slot width
3. Headbox size should allow additional 15mm for fixings bolt head

 <p>Ignis House, Houghton Avenue Waterlooville, Hampshire PO7 3DU, UK</p> <p>Tel: +44 (0)2392 454 405</p> <p>Email: info@coopersfire.com Web: www.coopersfire.com</p>	DRAWN:	TITLE: FireMaster® Concertina™ - Open Typical Arrangement - Compact Box	
	ML		
	CHECKED:	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED
	JR		
	APPROVED:	DRG. No.	ISSUE: 2
	JR	604/022/MK	DATE: 14.12.2020

HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		RADIUS	DROP	ANGLE
220	275	115	Unlimited	< 3m	45° - 180°
220	340	180	Unlimited	< 5m	45° - 180°



HEADBOX DETAIL



BOTTOM TRAY DETAIL
SECTION A

NOTE: -

1. Number of motor(s) and location depends on curtain overall dimension
2. Minimum 5 sides required
3. Number of sides depends on radius and ceiling slot width
4. Headbox size should allow additional 15mm for fixings bolt head



coopers
Coopers Fire Limited



Ignis House, Houghton Avenue
Waterlooville, Hampshire
PO7 3DU, UK

Tel: +44 (0)2392 454 405


Email: info@coopersfire.com
Web: www.coopersfire.com

DRAWN:	TITLE: FireMaster® Concertina™ - Closed Typical Arrangement		
ML			
CHECKED:			
JR	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED	
APPROVED:	DRG. No.	ISSUE:	2
JR	604/003/MK	DATE:	14.12.2020

HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		RADIUS	DROP	NO OF ANGLE
350	225	100	Unlimited	< 4m	Min. 5
350	300	175	Unlimited	< 8m	Min. 5




HEADBOX DETAIL



BOTTOM TRAY DETAIL
SECTION A

NOTE: -

1. Number of motor(s) and location depends on curtain overall dimension
2. Minimum 5 sides required
3. Number of sides depends on radius and ceiling slot width
4. Headbox size should allow additional 15mm for fixings bolt head

 coopers Coopers Fire Limited	Ignis House, Houghton Avenue Waterlooville, Hampshire PO7 3DU, UK Tel: +44 (0)2392 454 405 Email: info@coopersfire.com Web: www.coopersfire.com		DRAWN:	ML	TITLE: FireMaster® Concertina™ - Closed Typical Arrangement - Compact Box	
			CHECKED:	JR	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	
			APPROVED:	JR	DRG. No.	604/021/MK
					ISSUE: 2 DATE: 14.12.2020	

HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		RADIUS	DROP	NO OF ANGLE
220	275	115	Unlimited	< 3m	Min. 5
220	340	180	Unlimited	< 5m	Min. 5