



HEADBOX DETAIL



BOTTOM TRAY DETAIL SECTION A



SIDE GUIDE DETAIL

NOTE: -

1. Number of motor(s) and location depends on curtain overall dimension
2. Number of sides depends on radius and ceiling slot width







Ignis House, Houghton Avenue
Waterlooville, Hampshire
PO7 3DU, UK

Tel: +44 (0)2392 454 405

Email: info@coopersfire.com
Web: www.coopersfire.com

DRAWN:	ML	TITLE:	FireMaster® Concertina™ - Open Typical Arrangement
CHECKED:	JR	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED
APPROVED:	JR	DRG. No.	604/004/MK
		ISSUE:	2
		DATE:	14.12.2020

HEADBOX		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		RADIUS	DROP	ANGLE
350	225	100	Unlimited	< 4m	45° - 180°
350	300	175	Unlimited	< 8m	45° - 180°



- NOTE: -
1. Number of motor(s) and location depends on curtain overall dimension and the weight of capping
 2. Number of sides depends on radius and ceiling slot width
 3. Capping width depends on ceiling slot width
 4. If capping is required, it is supplied in pre-curved sections and each section is butted up to the next
 5. Headbox size should allow additional 15mm for fixings bolt head




Ignis House, Houghton Avenue
Waterlooville, Hampshire
PO7 3DU, UK

Tel: +44 (0)2392 454 405



Email: info@coopersfire.com
Web: www.coopersfire.com

DRAWN:	ML	TITLE:	FireMaster® Concertina™ - Open Typical Arrangement - Capping Proposal
CHECKED:	JR	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED
APPROVED:	JR	DRG. No.	604/029/MK
		ISSUE:	2
		DATE:	14.12.2020


HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		RADIUS	DROP	ANGLE
350	225	100	Unlimited	< 4m	45° - 180°
350	300	175	Unlimited	< 8m	45° - 180°




LESS THAN 90 DEG DETAIL



HEADBOX DETAIL



BOTTOM TRAY DETAIL SECTION A



SIDE GUIDE DETAIL



NOTE: - Number of motor(s) and location depends on curtain overall dimension




Ignis House, Houghton Avenue
Waterlooville, Hampshire
PO7 3DU, UK
Tel: +44 (0)2392 454 405
Email: info@coopersfire.com
Web: www.coopersfire.com

DRAWN:	ML	TITLE:	FireMaster® Concertina™ - Open Typical Arrangement		
CHECKED:	JR	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		
APPROVED:	JR	DRG. No.	604/031/MK	ISSUE:	2
				DATE:	14.12.2020


HEADBOX		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		L - WIDTH	DROP	ANGLE
350	225	100	Unlimited	< 4m	45° - 180°
350	300	175	Unlimited	< 8m	45° - 180°




HEADBOX DETAIL



BOTTOM TRAY DETAIL SECTION A



DOOR CLOSED



DOOR OPENED

* DOOR MAX. HEIGHT = 3M

NOTE: - Number of motor(s) and location depends on curtain overall dimension
 - Headbox size should allow additional 15mm for fixings bolt head

HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		L - WIDTH	DROP	ANGLE
350	225	100	Unlimited	< 3m	45° - 180°



Ignis House, Houghton Avenue
 Waterloo, Hampshire
 PO7 3DU, UK
 Tel: +44 (0)2392 454 405
 Email: info@coopersfire.com
 Web: www.coopersfire.com

DRAWN: ML	TITLE: Open FireMaster® Concertina™ with Side Guide Door Typical Arrangement	
CHECKED: JR	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED
APPROVED: JR	DRG. No. 604/020/MK	ISSUE: 2 DATE: 14.12.2020