

# FIREMASTER CONCERTINA EGRESS

MULTI-SIDE ACTIVE FIRE CURTAIN BARRIER  
ASSEMBLY WITH EGRESS

[WWW.COOPERSFIRE.COM](http://WWW.COOPERSFIRE.COM)



LEADING THE WAY IN FIRE PROTECTION

The FireMaster Concertina Egress features the benefit of an integral egress door allowing the safe evacuation of building occupants or emergency services through the barrier without the need to lift the barrier once deployed. This product can be used as part of a fire engineering solution to protect a building and its occupants from the effects of fire and smoke.

The FireMaster Concertina Egress has been developed to provide a bespoke alternative to fixed non-loadbearing walls and partitions. It can be used in commercial, domestic and industrial applications such as airports, shopping centres, offices and hotels or where the need for maintaining open areas for access is vital.

Available in unlimited widths and shapes, the multi-sided fire curtain removes the requirement for columns or corner posts to suit different building applications.



## FIREMASTER CONCERTINA EGRESS IS THE FIRST MULTI-SIDE FIRE CURTAIN TO OFFER AN INTEGRAL EGRESS DOOR

### TESTED TO

UL 10D (Fire Tests of Fire Protective Curtain Assemblies)  
UL 864 (10th Ed) for Motors and Controls

### CERTIFICATION

Complete barrier assemblies are certified by UL, which is an accredited certification body operating to ISO/IEC 17065:2012



### PERIOD OF FIRE RESISTANCE

120 minutes endurance (for use in gypsum and masonry wall type constructions) with or without ResQ-Window™

### BENEFITS

- **BARRIER EGRESS**  
Egress of evacuees or access for emergency services through the barrier
- **ANY POINT OF EGRESS**  
Can include multiple egress doors at any exit point
- **STANDARD CONFIGURATION**  
Square, Rectangular, L Shaped and Circular FireMaster Open and Closed Concertina products available
- **CUSTOMISED CONFIGURATION**  
FireMaster Open and Closed designs can be configured to suit a variety of non-standard shapes and sizes
- **NO COLUMNS AND CORNER POSTS REQUIRED**  
No support posts required, the Concertina offers open plan environments

### COMPLIANCY AND FEATURES

- FireMaster® Concertina™ Egress active fire curtain barrier assemblies have been tested for fire resistance and self-closing to UL 10D.
- Motors and controls used with the FireMaster® Concertina™ Egress fire curtain barrier have been tested to UL 864 (10th Ed).
- Maximum width of 1000mm egress door
- The egress door can be installed on both the FireMaster Concertina Open and Closed products
- A ResQ-Window™ Vision Panel can be installed into the curtain or egress door if required.
- Can be sign written to indicate point of egress





For information, to get a quote  
or to book a CPD workshop

Please call:

**+44 (0)2392 454 405**

or E-mail: [info@coopersfire.com](mailto:info@coopersfire.com)

[WWW.COOPERSFIRE.COM](http://WWW.COOPERSFIRE.COM)

Coopers Fire Ltd  
Ignis House, Houghton Avenue  
Waterlooville, Hampshire  
PO7 3DU. United Kingdom

Phone: +44 (0)2392 454 405  
Email: [info@coopersfire.com](mailto:info@coopersfire.com)  
Web: [www.coopersfire.com](http://www.coopersfire.com)

Coopers Fire Ltd has a policy of  
continuous product improvement.

As such we reserve the right to  
change design and specifications  
without prior notice.

Please check our website for the  
latest information.

© Coopers Fire Ltd. All content and products are copyright  
of Coopers Fire Ltd. Registered in England Number: 2010274.  
Multiple patents granted and pending.

v01 Aug 2020



LEADING THE WAY IN FIRE PROTECTION