



HEADBOX DETAIL




BOTTOM TRAY DETAIL
SECTION A








SIDE GUIDE DETAIL

NOTE: -

1. Number of motor(s) and location depends on curtain overall dimension
2. Number of sides depends on radius and ceiling slot width
3. Headbox size should allow additional 15mm for fixings bolt head

 <p>Ignis House, Houghton Avenue Waterlooville, Hampshire PO7 3DU, UK</p> <p>Tel: +44 (0)2392 454 405</p> <p>Email: info@coopersfire.com Web: www.coopersfire.com</p>	DRAWN:	TITLE: FireMaster® Concertina™ - Open Typical Arrangement - Compact Box	
	ML		
	CHECKED:	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED
	JR		
	APPROVED:	DRG. No.	ISSUE: 2
	JR	604/022/MK	DATE: 14.12.2020



HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		RADIUS	DROP	ANGLE
220	275	115	Unlimited	< 3m	45° - 180°
220	340	180	Unlimited	< 5m	45° - 180°





NOTE: - Number of motor(s) and location depends on curtain overall dimension
- Headbox size should allow additional 15mm for fixings bolt head

DRAWN:	ML	TITLE:	FireMaster® Concertina™ - Open Typical Arrangement - Compact Box
CHECKED:	JR	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED
APPROVED:	JR	DRG. No.	604/032/MK
		ISSUE:	2
		DATE:	14.12.2020


HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		L - WIDTH	DROP	ANGLE
220	275	115	Unlimited	< 3m	45° - 180°
220	340	180	Unlimited	< 5m	45° - 180°



* DOOR MAX. HEIGHT = 3M



HEADBOX DETAIL



BOTTOM TRAY DETAIL
SECTION A

NOTE: - Number of motor(s) and location depends on curtain overall dimension
- Headbox size should allow additional 15mm for fixings bolt head

HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		L - WIDTH	DROP	ANGLE
220	275	115	Unlimited	< 3m	45° - 180°
220	340	180	Unlimited	< 5m	45° - 180°





coopers
Coopers Fire Limited

Ignis House, Houghton Avenue
Waterlooville, Hampshire
PO7 3DU, UK


Tel: +44 (0)2392 454 405

Email: info@coopersfire.com
Web: www.coopersfire.com


DRAWN:	TITLE: Open FireMaster® Concertina™ with Side Guide Door Typical Arrangement - Compact Box	
CHECKED:	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	
APPROVED:	DRG. No.	ISSUE:
JR	604/014/MK	2
		DATE: 14.12.2020



HEADBOX DETAIL




AESTHETIC COVER CLOSED



AESTHETIC COVER OPENED

* DOOR MAX. HEIGHT = 3M



BOTTOM TRAY DETAIL
SECTION A

NOTE: - Number of motor(s) and location depends on curtain overall dimension
- Headbox size should allow additional 15mm for fixings bolt head

HEADBOX SIZE		Z (mm)	CURTAIN DIMENSION		
X (mm)	Y (mm)		L - WIDTH	DROP	ANGLE
220	275	115	Unlimited	< 3m	45° - 180°
220	340	180	Unlimited	< 5m	45° - 180°

DRAWN:	AB	TITLE: Open FireMaster® Concertina™ with Side Guide Typical Arrangement - Compact Box	
CHECKED:	RW	© COOPERS FIRE LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED
APPROVED:	RW	DRG. No. 604/014/MK	ISSUE: 3 DATE: 05.02.2025